TOWN AND COUNTRY CROSSING ORTHOPEDICS

Brett A. Taylor, MD 884 Woods Mill Rd. Suite 201 St. Louis, Missouri 63011

SPINE PATIENT QUESTIONNAIRE (Lumbar Attachment)

- Please answer all questions completely
- It is in your best interest and will assist Dr. Taylor with your care.

Please be aware that Dr. Taylor, orders, directs, and refers patients for treatment, testing, therapy, and/or rehabilitation at facilities in which he has a financial interest. These financial interests include partial ownership in facilities which perform imaging tests, provide DME services, and surgical centers.

Facilities: CT Partners of Chesterfield, MRI Partners of Chesterfield, Imaging Partners of Missouri, Pain and Rehabilitation Specialists of St. Louis, St. Louis Spine and Orthopedic Surgery Center.

You as a patient or employer of a patient have the right to refuse care at these facilities. To all insurers, please notify any repricer you choose of Dr. Taylor's Disclosure provided in this document.

| NAM | E:_ | DATE: |
|-------------|----------|--|
| BIRT | Ш | DATE: |
| A. 1 | l. | Referring doctor name and full address: |
| | | If not referred, how did you choose this office? |
| 2 | 2. | Internist or family doctor name and address: |
| 3 | 3. | Chief complaint |
| | | (check all that apply): Back pain Leg: Pain Numbness Weakness Other |
| 4 | 1. | Your age: Years Months |
| 5 | 5. | Your sex: ☐ Male ☐ Female |
| 6 | | How long has the pain (or your problem) been present? |
| 7 | 7. | Has your problem worsened recently? ☐ No ☐ Yes – How recently? |
| 8 | 3. | What started the pain (or problem)? |
| | | |
| В. 1 | Fo | r patients with NECK OR ARM pain, numbness or weakness: |
| | | you are seeing the doctor for back or leg pain, go to "C") |
| · 1 | l. | What % of your pain is neck pain and what % is arm pain? (check appropriate box) |
| | | □ Neck 0%, Arm 100% □ Neck 10%, Arm 90% □ Neck 25%, Arm 75% □ Neck 40%, Arm 60% |
| | | □ Neck 50%, Arm 50% □ Neck 60%, Arm 40% □ Neck 75%, Arm 25% □ Neck 90%, Arm 10% |
| | | □ Neck 100%, Arm 0% |
| 2 | 2. | There is: \square No arm pain \square Arm pain is as follows (check the following): |
| | | a. \square Right 0%, Left 100% \square Right 10%, Left 90% \square Right 25%, Left 75% \square Right 40%, Left 60% |
| | | ☐ Right 50%, Left 50% ☐ Right 60%, Left 40% ☐ Right 75%, Left 25% ☐ Right 90%, Left 10% |
| | | ☐ Right 100%, Left 0% |
| | | b. The arm pain is present in the (check the following): |
| | | Right: ☐ Upper back ☐ Shoulder ☐ Upper arm ☐ Forearm ☐ Hand/finger |
| | | Left: ☐ Upper back ☐ Shoulder ☐ Upper arm ☐ Forearm ☐ Hand/finger |
| 3 | | Raising the arm: \square Improves the pain \square Worsens the pain \square Does not affect the pain |
| | | Moving the neck: ☐ Improves the pain ☐ Worsens the pain ☐ Does not affect the pain |
| 5 | 5. | There is: \square No weakness of the arms and hands \square Weakness of the (check the following): |
| | | Right: ☐ Shoulder ☐ Upper arm ☐ Forearm ☐ Hand/finger |
| | | Left: ☐ Shoulder ☐ Upper arm ☐ Forearm ☐ Hand/finger |
| 6 | . | There is: \square No numbness of the arms and hands \square Numbness of the (check the following): |
| | | Right: □ Upper arm □ Forearm □ Thumb □ Index finger □ Long finger □ Ring finger □ Small finger |
| _ | | Left: □ Upper arm □ Forearm □ Thumb □ Index finger □ Long finger □ Ring finger □ Small finger |
| | | There (\square is \square is no) difficulty picking up small objects like coins or buttoning buttons. |
| 8 | | There (\square is a \square is no) problem with balance or tripping frequently. |
| 9 | ₽. | There are: (\square Frequent \square Occasional \square No) headaches in the back of the head. |
| | | END OF NECK QUESTIONS – PLEASE GO TO "D" |

| U. | | r patients with BACK OR LEG PAIN, numbness or weakness. |
|----|---------------|--|
| | (If | you are seeing the doctor for neck problems, please complete section "B") |
| | 1. | What % of your pain is back pain and what % is leg or buttock pain? (check appropriate box): |
| | | ☐ Back 0%, Leg 100% ☐ Back 10%, Leg 90% ☐ Back 25%, Leg 75% ☐ Back 40%, Leg 60% |
| | | ☐ Back 50%, Leg 50% ☐ Back 60%, Leg 40% ☐ Back 75%, Leg 25% ☐ Back 90%, Leg 10% |
| | | ☐ Back 100%, Leg 0% |
| | 2. | There is: \square No leg pain \square Leg pain as follows (check the following): |
| | | a. ☐ Right 0%, Left 100% ☐ Right 10%, Left 90% ☐ Right 25%, Left 75% ☐ Right 40%, Left 60% |
| | | ☐ Right 50%, Left 50% ☐ Right 60%, Left 40% ☐ Right 75%, Left 25% ☐ Right 90%, Left 10% |
| | | ☐ Right 100%, Left 0% |
| | | b. The pain is present in the (check the following): |
| | | |
| | | |
| | 2 | |
| | 3. | There is: \square No weakness of the legs \square Weakness of the (check the following): |
| | | Right: |
| | | Left: |
| | 4. | There is: \square No numbness of the legs \square Numbness of the (check the following): |
| | | Right: Thigh Calf Foot |
| , | | Left : □ Thigh □ Calf □ Foot |
| | 5. | The worst position for the pain is: Sitting Standing Walking |
| | 6. | How many minutes can you stand in one place without pain? \Box 0-10 \Box 15-30 \Box 30-60 \Box 60+ |
| | 7. | How many minutes can you walk without pain? \Box 0-10 \Box 15-30 \Box 30-60 \Box 60+ |
| | 8. | Lying down: |
| | 9. | Bending forward: ☐ Increases the pain ☐ Decreases the pain ☐ Doesn't affect the pain |
| | | PLEASE GO TO "D" |
| | | |
| D. | * | $\star\star$ ALL PATIENTS SHOULD ANSWER THE FOLLOWING $\star\star\star$ |
| | 1. | Coughing or sneezing (|
| | 2. | There is: \[\subseteq \text{No loss of bowel or bladder control} \] \[\subseteq \text{Loss of bowel or bladder control since} \] |
| | 3. | I have: Not missed any work because of this problem Missed (how much?) work |
| | <i>3</i> . 4. | Treatments have included: No medicines, therapy, manipulations, injections, or braces |
| | ъ. | ••• |
| | | Neck Back |
| | | □ Physical therapy, exercise □ Anti-inflammatory medications □ Massage & ultrasound □ Narcotic medication |
| | | ☐ ☐ Traction ☐ ☐ Epidural steroid injections times which |
| | | ☐ ☐ Manipulation relieved the pain for (how long)? |
| | | □ □ Tens Unit □ □ Trigger point injections times which |
| | | ☐ ☐ Shoulder injections relieved the pain for (how long)? |
| | | □ □ Braces □ □ Other: |
| | 5. | List pain medications and dose taken for your spine problem: |
| | | |
| | | Medication Dose |
| | | |
| | | |
| | | |

| | | Doctor | | Specialty | City (I | f not St. Louis) | - | Treatments | | | |
|----|----------------------------------|--------------------------|------------------------------|----------------------------------|-------------|--|---------------------|---|-------------------|--|--|
| | | | | | | Z | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | ····· | | | |
| | 7. | | | your problem, the Back #1 DATE | | | were done: E WHERE | □ None #3 D # | ATE WHERE | | |
| | | Plain x-rays | | | | | | | | | |
| | | Myelogram | | | | • | | | | | |
| | | CT Scan | | | | | | | | | |
| | | MRI | | | | | | · | | | |
| | | EMGs | | | | | | | | | |
| | | Bone Scan | | · 🗆 | | | | | | | |
| E | DE | 'VIEW OF SV | STEN | IS: Check all the | at annly | ☐ None apply | | , | | | |
| • | | Reading glasses | 51 1 1 1 1 1 1 1 1 1 | ☐ Abnormal hea | | ☐ Frequent Co | nstination | □ Hot o | r cold spells | | |
| | | Change of vision | | ☐ Swollen ankle | | ☐ Hemorrhoid | | | it weight change | | |
| | | Loss of hearing | | ☐ Calf cramps v | | | | | ous exhaustion | | |
| | | Ear pain | | ☐ Poor appetite | v/ waiking | | | Women | | | |
| | | Hoarseness | | ☐ Toothache | | ☐ Burning on urination☐ Difficulty starting urination☐ | | | egular periods | | |
| | | Nosebleeds | | ☐ Gum trouble | | | than once every | | ginal discharge | | |
| | | Difficulty swallo | wing | ☐ Nausea or voi | niting | night to urin | • | | equent spotting | | |
| | | Morning cough | | ☐ Stomach pain | _ | ☐ Frequent headaches | | | r T | | |
| | ☐ Shortness of breath | | | ☐ Ulcers | | ☐ Blackouts | idactics | | · | | |
| | ☐ Fever or chills | | | ☐ Frequent belc | hina | ☐ Seizures | | | | | |
| | ☐ Heart or chest pain | | | ☐ Frequent diar | | ☐ Frequent rash | | | | | |
| F | N/IX | PDICAL HIST | ODV | Charle all that a | | | | | | | |
| | MEDICAL HISTORY: ☐ Heart attack | | | Diabetes | ippiy. | ☐ None apply | _ | m | 1.1 | | |
| | | Heart failure | | ☐ Stroke | | ☐ Lung disease ☐ HIV | | ☐ Liver to | | | |
| | | High blood press | ure | ☐ Suoke ☐ Seizures | | | | | ☐ Hepatitis | | |
| | | Osteoarthritis | uic | ☐ Mental illness ☐ Kidney stones | | ☐ AIDS ☐ Tuberculosis ☐ Asthma ☐ Blood slot in leg | | ☐ Thyroid trouble | | | |
| | | Rheumatoid arthi | ritio | | | | | ☐ Bleeding disorders☐ Anemia☐ Serious injuries (explair | | | |
| | | Ankylosing spon | | | | | | | | | |
| | | | uynus | ☐ Cancer | 5 | ☐ Blood clot in leg ☐ Blood clot in lung | | □ Senous | injuries (explain | | |
| | | ☐ Gout ☐ Osteoporosis | | ☐ Alcoholism | | ☐ Stomach ulcers | | Other: | | | |
| G. | SU | RGICAL HIS | TORY | : Previous surge | eries - Lis | t procedures, su | | - | None | | |
| | | | OPER | <u>ATION</u> | | | JRGEON | | DATE | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| H | TC A | MII V HICTO | DV. | Check all that ap | .m1,, | □ Nage - 1 | | | | | |
| | | | | | | ☐ None apply | | | | | |
| | | Stroke | | ☐ Arthritis | | ☐ Mental illness | | ☐ Alcoho | | | |
| | | Heart trouble | | ☐ Gout | | ☐ Kidney troubl | e or stones | ☐ Other:_ | | | |
| | | High blood press | | ☐ Seizures | | ☐ Cancer | | | | | |
| _ | ⊔I | Diabetes | | ☐ Spine problems | 3 | ☐ Bleeding diso | rders | | | | |
| Γ | N # Y | EDICATIONS | VOII | DES A TEXTOS | 1 2 7 | | | | | | |
| l. | IVII | PUICATIONS | YUU | TAKE: | None | | | | | | |

| J. A | LLERGIES TO M | MEDICATIONS: □ N | o known drug allergies | ACHING No |
|------------|---------------------|--|---|-----------------------------------|
| - · - | MEDICATION | Swelling Swelling Or Shock | Other | RIGHT LEFT RIG |
| K s | SOCIAL HISTOR | v. | · | NUMBNESS UNO |
| | . Work status: 🗆 H | Homemaker ☐ Retired ☐ Inemployed ☐ Working: _ | _Full time Part time | Shade the area) |
| 2 | | ☐ Married ☐ Single ☐ Widowed ☐ Divorce | | RIGHT LEFT RIC |
| 3 | . Number of living | children: □ 1 □ 2 □ 6 □ 7 | □ 3 □ 4 □ 5 □ 8 □ 9 □ 10 | PINS & |
| 4 | . I live: □ Alone | ☐ With: | · | NEEDLES □ No □ Yes |
| 5 | pack | Never (skip to #6) Chew Pipe s per day for years (| ears. | RIGHT LEFT LEFT RIG |
| . 6 | . Alcohol: Social | | | BURNING SENSATION |
| 7 | . Drug overuse/abu | ise: 🗆 Never 🗆 Currentl | y □ In the past | │ No │ Yes (shade the area) |
| 8 | ☐ A lawsuit | oine problem, I have filed o ☐ A Worker's Compuit or Worker's Compensa | pensation claim | RIGHT LEFT LEFT |
| Date 0 | MY PAIN / DI | ISCOMFORT IS (circ) 4 5 6 7 | le number) 8 9 10 | STABBING PAIN PAIN No Yes |
| No Pain | | | Excruciating Pain as bad as it could be | RIGHT LEFT RIGH |
| | Patient Si | ignature | Date | |

OSWESTRY QUESTIONNAIRE

The following questions will give us information as to how your back or leg pain has affected your ability to manage everyday life. Please answer every section, and mark in each section only the answer which applies to you. We realize you may consider that two of the statements in any one section relate to you. Please just give the answer which most clearly describes your problem.

Pain Intensity (mark only one)

- 0. I have no pain at this moment.
- 1. The pain is very mild at the moment.
- 2. The pain is moderate at the moment.
- 3. The pain is fairly severe at the moment.
- 4. The pain is very severe at the moment.
- 5. The pain is the worst imaginable at the moment.

Personal Care (washing, dressing, etc.) (mark only one)

- 0. I can look after myself normally without causing extra pain.
- 1. I can look after myself normally, but it is very painful.
- 2. It is painful to look after myself and I am slow and careful.
- 3. I need some help, but manage most of my personal care.
- 4. I need help every day in most aspects of self care.
- 5. I do not get dressed, wash with difficulty, and stay in bed.

Lifting (mark only one)

- 0. I can lift heavy weights without extra pain.
- 1. I can lift heavy weights, but it gives me extra pain.
- 2. Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned, e.g. on a table.
- 3. Pain prevents me from lifting heavy weights, but I can manage light to medium weights if they are conveniently positioned.
- 4. I can lift only very light weights.
- 5. I cannot lift or carry anything at all.

Walking (mark only one)

- 0. Pain does not prevent me from walking any distance.
- 1. Pain prevents me from walking for more than 1 mile.
- 2. Pain prevents me from walking for more than 1/4 mile.
- 3. Pain prevents me from walking for more than 100 yards.
- 4. I can only walk using a stick or crutches.
- 5. I am in bed most of the time and have to crawl to the toilet.

Sitting (mark only one)

- 0. I can sit in any chair as long as I like.
- 1. I can sit in my favorite chair as long as I like.
- 2. Pain prevents me from sitting for more than 1 hour.
- 3. Pain prevents me from sitting for more than 1/2 hour.
- 4. Pain prevents me from sitting for mores than 10 minutes.
- 5. Pain prevents me from sitting at all.

Standing (mark only one)

- 0. I can stand as long as I want without extra pain.
- 1. I can stand as long as I want, but it gives me extra pain.
- 2. Pain prevents me from standing for more than one hour.
- 3. Pain prevents me from standing for more than 1/2 hour.
- 4. Pain prevents me from standing for more than 10 minutes.
- 5. Pain prevents me from standing at all.

Sleeping (mark only one)

- 0. My sleep is never disturbed by pain.
- 1. My sleep is occasionally disturbed pain.
- 2. Because of pain I have less than 6 hours sleep.
- 3. Because of pain I have less than 4 hours sleep.
- 4. Because of pain I have less than 2 hours sleep.
- 5. Pain prevents me from sleeping at all.

Sex Life (mark only one)

- 0. My sex life is normal and causes no extra pain.
- 1. My sex life is normal, but causes some extra pain.
- 2. My sex life is nearly normal, but is very painful.
- 3. My sex life is severely restricted by pain.
- 4. My sex life is nearly absent because of pain.
- 5. Pain prevents any sex life at all.

Social Life (mark only one)

- 0. My social life is normal and gives me no extra pain.
- 1. My social life is normal, but increases the degree of pain.
- 2. Pain has no significant effect on my social life apart from limiting my more energetic interest, e.g. sports, etc.
- 3. Pain has restricted my social life and I do not go out as often.
- 4. Pain has restricted my social life to my home.
- 5. I have no social life because of pain.

Traveling (mark only one)

- 0. I can travel anywhere without extra pain.
- 1. I can travel anywhere, but it gives me extra pain.
- 2. Pain is bad, but I manage journeys over two hours.
- 3. Pain restricts me to journeys of less than one hour.
- Pain restricts me to short necessary journeys under 30 minutes.
- 5. Pain prevents me from traveling except to receive treatment.

BACK AND LEG PAIN QUESTIONNAIRE

| This form is for the purpose of collecting back pain and leg pain information from you. Answer every question |
|---|
| by filling in the appropriate circle. If you are unsure about how to answer a question, please give the best answer |
| you can. Mark only one answer for each question. |

BACK PAIN

| 1. On the so | | | mark yo | our <u>inte</u> | nsity of | back p | ain disc | omfort | with 0 t | eing n | o pain a | nd 10 being pain | | | | |
|-----------------------|---|----------|----------------------|-----------------|-----------------|---------|--|--------|----------|--------|-----------------|-------------------------------|--|--|--|--|
| No Pain | 0 O | 1 | 2 O | 3 O | 4 O | 5 O | 6 O | 7 O | 8 | 9 O | 10 O | Pain As Bad As It Could Be | | | | |
| | 2. On the scale of 0 to 10, mark <u>how often</u> you had back pain discomfort with 0 being none of the time and 10 being pain all of the time. | | | | | | | | | | | | | | | |
| None Of The Time | | 1 O | 2 O | 3 O | 4 O | 5 O | 6 O | 7 O | 8 O | 9 O | 10 O | All Of The Time | | | | |
| | | | | | | LEG | PAIN | | | | | | | | | |
| | | - | mark yo | our <u>inte</u> | <u>nsity</u> of | leg pai | 1. On the scale of 0 to 10, mark your <u>intensity</u> of leg pain discomfort with 0 being no pain and 10 being pain as bad as it could be. | | | | | | | | | |
| No Pain | 0 O | 1 | | | | | | | | | | | | | | |
| | , | 0 | 2 O | 3 O | 4 O | 5 O | 6 O | 7 O | 8 O | 9 O | 10 O | Pain As Bad As It Could Be | | | | |
| 2. On the so being pa | ale of (| O to 10, | () mark <u>ho</u> | 0 | 0 | | | • | | 0 | 0 | | | | | |

| Patients | Signature |
|----------|-----------|
|----------|-----------|

| HISTORY: | | | | | | | | | | |
|---|--|--|----|--|--|--|--|--|--|--|
| Is this an unresolved spinal litigation case? If yes, please answer the following: a. Is this the result of a motor vehicle accident? b. Is this the result of a personal injury? c. Other, please describe: | O Yes O Yes O Yes | O No O No O No | · | | | | | | | |
| O Between eight and twelve weeks ago O Three me | two and eight onths to six mo in twelve mont | nths ago | | | | | | | | |
| 3. Have you had back/neck symptoms <u>before</u> your current episoo O No O Yes, one episode O Yes, two or mor | | | | | | | | | | |
| O None O 1 day to 2 weeks | 4. How much work did you miss because of your worst prior episode? O None O 1 day to 2 weeks O Between 2 and 4 weeks O Between 4 and 12 weeks O Between 12 and 24 weeks O More than 24 weeks | | | | | | | | | |
| 5. Have you had <u>previous</u> back/neck surgery? O No O Yes; How many? | | | | | | | | | | |
| 6. If so, did you return to work? O No O Yes, with limitations O Yes, with O Never stopped working O Did not work prior to su | | 3 | | | | | | | | |
| O General Practitioner O Immediate Care Clinic O N O Nurse Practitioner O Osteopath O O | mergency Roo Massage Therap | m O Internist oist O Neurosurgeor geon O Pain Clinic | 1 | | | | | | | |
| PAIN OR MUSCLE RELAXANT MEDICATION REGIME During the last week, how often have you taken the following for | • | g pain or neck/arm pai | n: | | | | | | | |
| 8. Non-Narcotic medication (such as aspirin, Tylenol, Motrin, VO) 3 or more times a day O Once or twice a day O Once a week O Not at all | | x) ery couple of days | | | | | | | | |
| 9. Weak narcotic medication (such as Tylenol #3, Darvocet N-1 O 3 or more times a day O Once or twice a day O Not at all | | icodin) ery couple of days | | | | | | | | |
| Strong narcotic medication (such as Percodan, Percocet, Morphine, Demerol) O 3 or more times a day O Once or twice a day O Once every couple of days O Not at all | | | | | | | | | | |

| O 3 or more times a day O Once a week | • | • " | couple of days |
|---|---|---|--|
| WORK STATUS: | | | |
| 1. Are you currently working? | O Yes O No |) | |
| If you are currently working, please a. Occupation: | se answer the following: | | |
| | art Time ight Duty | | • |
| c. If you are working less that O Yes O N | | y, is this because of the prob | olems with your back/neck |
| 3. If you are not currently working, a a. O Are you not working be b. O Retired c. O Not Currently Employe | ecause of problems with | your back/neck? O Yes | O No |
| 4. Highest level of education attained | d: O < High School O High School | | O Masters Degree O Professional Degree |
| 5. When did you stop working? O Less than one week ago O More than one week but le O More than three months but O More than six months but O One to two years ago O More than two years ago O Never employed O Currently working | ut less than six months ag | | |
| 6. Is your current job the same as who O Yes, exact same job. O No, job changed due to bate O Yes, but job was lightened O No, job changed for reason O Not currently working. | ack problems. I due to back problems. | ems began? | |
| 7. How long have you been at curren O Less than six months O S | • | More than 12 months O | Not currently working |
| | nvolve? Most of the time Little of the time | O A good bit of the time O None of the time | · . |
| | your job involve? Most of the time Little of the time | O A good bit of the time O None of the time | · |

| 10. | How often do you lift? O All of the time O Some of the time | 25 lbs. on job? O Most of t O A little of | | | ood bit of the ting of the time | ne | |
|-----|---|---|-------------|--------------------------------|---------------------------------|--------------|-----|
| 11. | How often do you lift of All of the time O Some of the time | 50 lbs. on job? O Most of the O A little of | | | ood bit of the tin | ne | |
| 12. | Is your job physically of Extremely O Ve | • | uite a bit | O Somewhat | O A little | O Not at all | |
| 13. | Is your job stressful? O Extremely O V | ery much O Q | Quite a bit | O Somewhat | O A little | O Not at all | |
| 14. | How much do you enjo O Extremely O V | | Quite a bit | O Somewhat | O A little | O Not at all | |
| 15. | How much do you like O Extremely O V | | Quite a bit | O Somewhat | O A little | O Not at all | |
| 16. | How much do you like O Extremely O V | • | Quite a bit | O Somewhat | O A little | O Not at all | |
| 17. | Other sources of income O Another income O Other income | | 7 | O State support O No other inc | | | |
| 18. | Your opinion of fault (O Own fault O Co-worker fault | O Another i | | O Employer fo | ault | | |
| 19. | Financial difficulties d O None at all | ue to back conditi | | O Some | O A lot | | ÷ |
| 20. | Are you on, or plannin O No O | g to apply for Soc Already on it | • | ? olied for it | O Planning to | apply | |
| 21. | Are you on, or plannin O No O | g to apply for Disa Already on it | | olied for it | O Planning to | apply | • . |
| 22. | Are you on, or plannin O No O | g to apply for Wo | | pensation? blied for it | O Planning to | apply | · |
| 23. | | ram description | | | | | |
| | O No O | Already on it | О Арр | olied for it | O Planning to | apply | |
| | | | | | | | |
| | Patier | its Signature | | | | Date | |
| | Physic | cian Signature | | | | Date | |